Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska cesta 12, 3320 Velenje, SI

Model identifier: WD3S1043BW3

General product parameters:

General product parameters:					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	6,0		Height	85
	Rated washing capacity	10,5	Dimensions in cm	Width Depth	60 59
Energy Efficiency Index	EEI _w	47,7	Energy efficiency class	EEI _w	A
	EEI _{wd}	66,4		EEI _{wd}	D
Washing efficiency index	I _w	1,031	Rinsing effectiveness (g/kg dry textile)	I _R	5,00
	J _w	1,050		J _R	4,5
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washerdryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used		0,52	Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used		3,05
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		43	Water consumption in litre per cycl wash and dry cycle of the househol dryer at a combination of full and h Actual water consumption will depet the appliance is used and on the hathe water	nold washer- d half loads. epend on how	
Maximum temperature inside the treated textile (°C)	Rated washing capacity	27	Weighted remaining moisture	52,5	
	Half	23	content (%)		
	Quarter	0			
Spin speed (rpm)	Rated washing capacity	1400	Spin drying officioney class		D
	Half	1400	Spin-drying efficiency class	В	
	Quarter	1400			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:59	wash and dry cycle duration (h:min)	Rated capacity	7:59
	Half	3:00		Half	F:00
	Quarter	2:40			5:09
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	72		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	^	
Туре	Free-standing				
Off-mode (W)	0,49		Standby mode (W)	-	
Delay start (W)	3,95		Networked standby (W)		1,95

No

Minimum duration of the guarantee offered by the manufacturer: 24 months

This product has been designed to release silver ions during the washing cycle

Additional information:

https://www.hisense-europe.com/